

DAHOMEY - FUJEIRA

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
DAHOMEY			7a f.....	3.80	133 f.....	2.80	**613.....	45	*I2.....	6.75	**C133-4.....	4.30	**C25-7.....	2.80			
*101.....	1.20	7a s/d.....	1.40	**156.....	2.80	**624-5.....	1.30	I2.....	.60	C137.....	.90	**C25-7 imp.....	2.80				
**156-9.....	1.80	8 pair f-vf.....	95.00	156-7.....	.40	699.....	20	I2 f.....	.60	C137 blk (4).....	3.50	*C25-7 imp.....	2.25				
*156-9.....	1.45	8 f.....	38.00	156-7,60 f-vf.....	6.25	720A.....	1.00	I2-3.....	.90	**C138-9.....	4.15	C55-6.....	.30				
**160-71.....	9.65	8 ave-f.....	34.00	**156-8.....	26.25	723-4.....	.60	**used J1-7 s/d-vf....	18.75	C139.....	.30	**C57-9.....	4.90				
**202.....	1.30	11.....	17.50	156-8.....	2.70	724.....	.50	J3.....	3.25	C142.....	.35	*J1-2.....	1.50				
*202.....	1.05	11 s/d.....	5.25	156-8 f.....	2.15	**727.....	.60	**35.....	39.90	**C143.....	2.25	**MI# 273-5.....	1.30				
**215-8.....	3.65	11-5.....	194.00	**157 s/d.....	1.00	**735-36.....	1.75	J6 thin.....	1.55	C146.....	.30	EAST AFRICA & UGANDA PROTECTORATES					
*215-8.....	2.90	11-15 f.....	155.00	*157.....	1.80	735-7.....	.85	**37.....	21.00	**C149-50.....	3.20						
**225a.....	2.25	12 xf.....	60.00	**158.....	16.85	736.....	.40	J7.....	3.25	**C151-52.....	3.20						
*225a.....	1.80	12.....	37.50	*158.....	7.50	739.....	.50	**38 f-vf.....	22.75	**C155-57.....	3.60						
*232-3.....	1.05	12 f.....	30.00	158.....	2.25	744.....	.40	J8 f.....	6.40	C157.....	.50	*17.....	9.60				
**234.....	1.15	12 s/d.....	11.25	158-9 f-vf.....	6.00	**748.....	.75	**39-11.....	13.30	C158.....	.45	*50.....	15.60				
*234.....	.90	13 s/d.....	1.20	158,60 f-vf.....	7.90	**755-56.....	3.00	J11.....	1.25	C158-59.....	.90	EASTERN SILESIA					
**237-8.....	1.35	14 xf.....	67.50	159-60.....	6.75	763.....	1.00	J11-3,15-7.....	18.00	C176.....	.40						
*243a.....	2.70	14 f.....	36.00	159-60 f-vf.....	6.00	766.....	1.00	J15.....	1.25	C178.....	.35						
**250-1.....	1.50	15 xf.....	120.00	160.....	6.50	**793.....	.20	J17.....	1.25	C180.....	.65						
**262.....	1.05	15.....	87.50	160 f.....	5.20	**793 blk.....	.80	*J38.....	3.15	C180-81.....	1.65	ECUADOR					
**262-3,C105.....	3.40	15 ave.....	52.50	160 s/d.....	1.95	**797.....	1.00	J38.....	3.25	**C190-1.....	3.00						
**270,C124-5.....	3.00	15 reper f.....	40.00	164-6,8-75.....	42.50	*811.....	4.35	O3 s/d.....	49.00	**C241.....	13.50						
**271-4.....	5.55	16 s/d.....	4.10	164-75.....	47.00	**813 blk.....	27.00	*O6-9.....	40.00								
271-4.....	1.25	16a s/d.....	4.10	164-75 f-vf.....	42.00	**818.....	1.15	*O7.....	7.20	DOMINICA		*45 s/d.....	1.45				
274.....	.60	18 s/d.....	1.50	164-75 s/d-vf.....	34.00	**825.....	7.50	O7.....	4.50	1 strip(3).....	83.00*65	*46.....	7.20				
**277-82.....	6.50	19 s/d.....	11.25	**165.....	5.25	**840-2.....	3.10	O7 f.....	3.60	*53 ave.....	6.30	*174-5,7-80 f-vf.....	6.50				
**321-23.....	5.10	20 s/d.....	26.25	*167a.....	22.50	**847.....	.95	O7 s/d.....	1.35	*67.....	10.80	*377.....	2.25				
**330-33.....	4.90	25 f.....	6.00	*167a,71a.....	45.00	**885.....	1.60	O8.....	1.25	*68.....	4.05	*377.....	1.80				
**336-37.....	2.10	25 s/d.....	2.25	*171a.....	22.50	**886.....	1.05	O8 thin.....	.50	*70.....	2.70	*378.....	2.40				
**MI# 646-9.....	4.00	25c f.....	6.40	**173 f.....	4.20	**891.....	1.20	O9.....	16.25	**101a.....	4.25	*378.....	2.10				
*C14-5.....	10.05	26a,c.....	17.30	*173-4 f.....	11.00	**892.....	1.70	O9 f.....	13.00	**111.....	.75	*497-502.....	6.15				
**C16a.....	5.25	26c s/d.....	2.40	*175a s/d.....	14.00	**895.....	2.20	*O11.....	1.05	**137-40.....	1.90	*555-7.....	2.05				
*C16a.....	4.20	27 f.....	29.00	176.....	8.00	**898.....	1.95	O22.....	3.90	**143-44.....	1.00	*584-5,C256-60.....	6.60				
*C18.....	3.75	27 s/d.....	10.95	**180.....	10.40	*908.....	2.65	P1.....	1.50	**154.....	5.80	*635-8.....	5.80				
C18.....	1.00	29 f.....	1.60	183-4.....	4.90	**909.....	2.25	P1 f.....	1.20	**155.....	16.90	749-9D.....	1.05				
**C20-3.....	15.00	29 s/d.....	.60	184.....	3.90	920-3.....	2.10	P1 s/d.....	.45	**156.....	16.90	*765-5E.....	7.80				
**C28.....	1.70	29b.....	5.00	*192-7.....	34.60	**936-7.....	2.90	P2.....	7.50	**159.....	4.50	765E.....	4.90				
*C28.....	1.35	29b f.....	3.95	192-7.....	2.75	949.....	1.00	P2 f.....	6.00	*160.....	2.45	**1057A.....	30.00				
*C31.....	1.80	29b s/d.....	1.50	193.....	1.15	**959-60.....	4.90	P2 s/d.....	2.25	**241 sht.....	1.60	*1130 imp s/s.....	6.40				
*C38.....	1.05	29c.....	2.00	210-2,4-9.....	27.45	977.....	.20	P3.....	.65	**296a.....	1.95	*1156-57.....	2.10				
*C45.....	1.15	30.....	3.25	*210-9.....	65.00	977-9.....	3.30	P4.....	2.50	*327a.....	1.30	*1173-77.....	9.60				
*C45a.....	1.95	30 f.....	2.60	*210-9 ng.....	37.25	**981-2.....	2.65	P4 f.....	2.00	**373a.....	.65	**1174-77.....	7.90				
**C46-48.....	12.60	30b.....	2.15	210,13-9.....	9.60	**983-84.....	2.50	P4 s/d.....	.75	**521-5.....	1.75	*1188-94.....	6.45				
C46.....	1.15	30b f.....	1.70	210-1,13-9.....	11.60	**990-91.....	3.60	P5.....	.75	**523-5.....	1.40	*1199-1201.....	8.70				
C46-7.....	2.75	31,31a(1 short perf).....	26.00	210-1,13-9(213 thin).....	11.50	1001.....	.15	P5 f.....	.60	*526.....	1.35	*1223-5.....	2.85				
**C46-8.....	12.60	31b ave-f.....	11.40	210-19.....	27.90	1010-1.....	.70	P6.....	1.25	*554 type 1.....	2.25	*1234-6.....	2.80				
*C46-8.....	10.05	32a s/d.....	9.40	*212-4,7-9.....	39.00	1012.....	.15	P6 f.....	1.00	**570-72.....	1.00	*1340-2.....	5.55				
C47.....	1.60	33 (unlisted wmk).....	200.00	213-9.....	9.75	1018.....	1.20	P7.....	13.75	**570-2 shts of 3.....	5.00	*1358-9.....	6.60				
~*C49-50.....	4.90	33a.....	87.50	*215.....	15.00	**1018-19.....	6.00	P7 f.....	11.00	570-2.....	1.15	*1363-5.....	2.45				
**C50.....	2.45	33a ragged perfs.....		*215-6 s/d.....	4.95	**1022-25.....	9.75	P7 s/d.....	4.15	**570-3 shts (3).....	3.75	*C57-63.....	10.90				
*C57a.....	2.40	at bottom.....	25.00	215,8,9.....	7.75	**1025a bklt.....	7.50	P8.....	3.00	*579-82.....	2.15	C65-9.....	1.10				
**C58.....	1.50	33a s/d.....	26.00	*217.....	5.25	1031.....	.60	P8 f.....	2.40	*607.....	2.25	C65-7,9.....	.85				
*C58a.....	5.10	34.....	30.00	217.....	.90	1037.....	.15	P8 s/d.....	.90	**654-57.....	1.25	*C142-6.....	6.15				
*C59a.....	2.10	34 s/d.....	9.00	218.....	2.25	**1039.....	2.45	P9.....	22.50	**676-7.....	1.60	**C296.....	3.60				
**C63-6.....	6.50	34b.....	30.00	*219.....	5.70	1041.....	.15	P9 f.....	18.00	**678.....	.75	*C370-3.....	2.20				
C66.....	1.00	34b s/d.....	9.00	219.....	.65	1045.....	.15	P10 f.....	18.00	**701-3.....	.85	*C429-31.....	3.50				
**C69-70.....	2.25	40,47 f.....	3.80	*220-2,4,5.....	1.85	**1049.....	1.15	P10 s/d.....	6.75	*704.....	1.50	*C431a.....	7.50				
*C70a.....	2.25	41.....	3.60	220-30.....	2.55	1053.....	.25	P11 f.....	1.30	**715.....	4.30	*C441-2,4.....	3.00				
**C77-80.....	7.50	41 ng.....	3.00	**224-24C,26-26A,27A.....		1059.....	.15	P13 f.....	1.80	**738.....	4.50	C487-90.....	2.80				
C80.....	.50	41 s/d.....	1.10		4.45	**1063-66.....	4.60	**Q3.....	67.50	**767.....	2.60	C489.....	.80				
**C85-88.....	5.55	41-7.....	9.00	*225.....	1.20	1064.....	.15	**Q3,7.....	229.00	**796-9.....	1.60	*O26.....	3.60				
C87.....	.30	41-52 f-vf.....	47.00	**230b.....	4.50	**1066a.....	4.90	*Q5.....	35.00	**862-3.....	5.60	EGYPT					
C88.....	.65	41b s/d.....	1.00	*232-8.....	71.25	**1067-70.....	5.45	*Q9.....	78.75	**934.....	2.80						
**C89-92.....	6.10	*41c.....	1.65	232,34-8.....	1.80	**1070a.....	10.50	**Q9A.....	6.85	**1074-9.....	1.65	*41 f.....	15.00				
C90.....	.40	*42a f.....	2.25	232-4,6-8.....	15.00	**1071-72.....	2.45	*Q15.....	.55	*1080.....	2.25	54 wmk sideways.....	7.50				
C91.....	.65	46.....	2.00	*233.....	47.00	**1074a.....	4.00	*Q17.....	2.25	*1265.....	3.00	*74 two sh perfs.....	42.00				
C92.....	1.40	46 f.....	1.60	233 block.....	58.00	**1075-76.....	5.80	*Q19.....	2.25	**1271-2,4-8.....	11.60	*92-103 f-vf.....	145.00				
**C93.....	2.80	46a f.....	3.40	*238H.....	1.85	1075.....	.15	*Q28-30.....	6.00	**1418.....	2.80	*203-5.....	2.65				
**C97-100.....	11.25	47 f.....	1.80	239-40,41-3.....	2.65	**1077.....	1.30	*Q35.....	1.80	**1563.....	3.75	*203-5.....	2.15				
**C102.....	15.00	*47a s/d.....	4.50	239-43(243 thin).....	1.75	**1078-79.....	2.35	Q41,45,47(2) on pc.....	5.40	**1578.....	11.25	*217-9.....	2.65				
C103-4.....	.65	47a f-vf.....	2.25	*241.....	7.00	**1080-81.....	8.										

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**1346-8	1.95	**530-5	4.90	*147	1.20	**90-2	3.00	484	10.00									
**1350	90	**536-40	5.00	**150-53	8.75	**94a bklt	13.15	**485-86	3.10	FINLAND							**350	7.50
**1350-9	4.85	**541-3	2.30	**154-55	5.80	94a	8.75	**487	3.75	3 s/d	250.00				351-3	1.50		
**1353-59	3.00	**544-7	3.25	**156-57	4.50	**97-100	4.90	**492-93	2.55	*4 regummed	255.00				**354-55	1.80		
**1351	40	**548-52	3.90	*162-65	1.25	**106-7	1.50	**493a bklt	14.65	*5 f-vf ng	218.00				**354-55	1.35		
**1361-3	1.80	**548-52	3.10	*166-79	42.00	**108-11	3.00	493a bklt	9.75	6 f	68.00				**357	16.50		
**1365,7,8	1.55	**553-7	2.30	**166,8,73	1.25	112	45	**494	9.00	6a	2250.00				**357	13.20		
**1370-1,3,4	2.15	**572-4	2.65	**188-91	6.05	**112-4	4.95	**496	2.65	*6b ave	120.00				361-62	1.00		
**1376-82	3.85	**582-6	6.00	**197-209	25.00	**120a	28.00	**497-98	2.95	*7 f-vf	178.00				*363 ng	1.70		
**1388-92	2.20	**592-4	3.10	**210a	11.25	**120a bklt	28.15	**498a bklt	18.00	7 sht perf	50.00				**367	3.00		
**1388-94	3.75	**599-603	4.15	**213	4.50	120a	18.75	498a bklt	12.00	7 ave-f	70.00				**375	80		
**1394	1.20	**604-7	1.30	*213a	22.50	**121-4	5.25	**499	12.00	7 s/d	34.00				375	25		
**1400-7	3.80	**604-8	2.50	**218a	1.60	**125-26	2.10	**500	3.00	7b f	120.00				*376-77	1.05		
**1400-10	4.80	**609-12	6.30	**227-30	21.00	**127-9	4.15	**502-3	2.55	7d ave-f	131.00				379	1.00		
**1409-10	70	**611	2.80	*227-30	16.80	**130-3	5.50	**504	6.75	8 f	140.00				*380-1	14.95		
**1425,7,8,30	2.10	**612	2.80	**232-34	90	**138a	10.50	**505	18.75	8 s/d	60.00				*381	12.00		
**1440-2	90	**617-9	4.15	**235-36	1.90	**138a bklt	12.00	**506-7	3.25	8a f-vf	200.00				*388-90	4.90		
**1445a	1.05	**620-4	3.85	*236a	6.00	138a bklt	8.00	**507a bklt	18.00	9 ave	17.25				*398-415	62.90		
**1490,3,6-1500	3.25	**625-9	3.05	**237-40	16.50	**139-42	5.35	507a bklt	12.00	9 s/d	10.00				398-415	4.00		
**2039	17.00	**634-6	4.10	*241-44	5.15	**143-4	2.90	**513	13.50	9a f	39.00				398-400,3,4A-5A,			
**B1	3.40	**643-5	3.75	**245-49	7.50	**145-7	4.20	**518a	18.00	10	38.75				7-8,10-3,4A	2.50		
**B2	7.50	**651-5	3.60	**254a-56a	10.80	**148	7.50	**522-3 (4) bklt	19.50	10 f-vf	34.90				*408	7.70		
*B3-6	1.30	**656-60	5.60	**254a-56a bklt	15.35	**149	1.70	522 (4),523 (4) bklt	12.80	10 f	27.00				*412	1.20		
**B9-12	7.30	**656,58-9	2.50	*256a	4.50	**149-51	6.15	**525-28	6.10	10 ave	20.25				*415	12.60		
**B9-12	5.85	**660	2.65	**257-59	3.75	**151	3.00	**533	4.50	10b vf	46.00				*419	75		
**B13-5	3.40	**661-63	3.20	*260-74	13.90	**152-5	5.80	**536-37	4.90	10b f-vf	41.60				*431-2	2.10		
**B26-8	6.60	**669-71	2.20	**260a-73a	11.00	**158-60	5.10	**544-45	3.20	10b f	37.00				*431-32	1.70		
*B26-8	5.25	**690-4	3.45	*275	3.00	*161	75	*546-47	3.75	*10b ave	172.50				*439	3.40		
**B27	2.25	**695-9	3.25	*278-81	1.25	**161-5	6.25	**569a	9.40	11 s/d	129.00				*439	2.70		
**B28	2.25	*712-5	4.20	**291-93	1.05	*163	1.45	**572	2.25	12 ave	48.00				*441,4,6,8,53,5,71,3	5.00		
**B48-9	4.00	*731-5	6.70	*294	1.15	*165	1.70	*575-78	6.25	13 space filler	29.00				*447-49	1.80		
**C101	2.80	*751-57	4.75	*295-97	1.00	*166-7	3.00	*581	4.50	16 f	170.00				*450-52	1.20		
**C103	2.10	*758-62	4.00	*304	1.20	*169-72	5.45	*582-83	3.75	18 thin	3.00				*457-70A(*458,464A)			
**C104	1.70	*768-70	4.00	*306-9	2.40	*175-8	4.90	*591	15.00	18 s/d	2.25					30.00		
C108-9	2.70	*776-78	2.85	*314-15,17	1.05	*179-81	5.85	FAROE ISLANDS							*used 457-70A	5.40		
**C146-8	8.45	*779-83	2.75	*318-23	1.95	*182-5	5.80	MINT YEAR SETS							458-70A	5.05		
**C147	2.25	*782	70	*327-30	1.05	*186-8	4.70	IN COLORFULPOSTAL							461A	30		
**C157	2.25	*784-88	2.30	*331-33	1.15	*189-90	2.85	ALBUMS							*464A	70		
**C169-70	3.70	*807-11	3.20	*344-47	2.20	*191-2	1.90	1992	*232-46	34.00	28 f	80			*used 471-73	1.30		
**C174	1.90	*827-31	4.20	*348-51	1.80	*193-6	5.65	1993	*247-59	28.00	28 ave-f	65			*475-80	2.75		
**C191	1.00	*854-58	6.15	*371-73	1.05	*197-200	5.50	1994	*260-75	30.00	28 s/d	30			*483	2.10		
**C204-5	4.00	*864-68	6.70	*378a	1.90	*205-6	2.10	1995	*276-94	33.00	34 s/d	50			*484-85	1.25		
**CB2a	7.50	*869-73	3.10	*379-82	1.35	*212-5	5.65	2001	*389-408	53.00	35 s/d	3.75			*487-92	4.65		
**E4	4.50	*879-83	3.90	*387-401	12.85	*225a	6.75	2002	*409-26	55.00	37 thin	150.00			*487,489	1.10		
**J60-4	9.40	*884-8	4.60	*388(8),393(4),397(4),		*225a bklt	6.75	2003	*427-38	63.00	43	1.85			*494-96	1.45		
**M14-15	10.50	*889-93	3.90	398(4) bklt	28.00	225a bklt	4.50	2004	*439-51	68.00	43 s/d	50			*498-99	85		
**N57	3.75	*901-5	3.05	*408-10	3.75	*226-7	3.00	2005	*452-66	66.00	*46	3.90			*502	55		
**N57 f	2.50	*931-5	3.05	*412-15	3.40	*240a bklt	15.00	2006	*467-79	72.00	*49	8.90			*503-5-6	1.45		
**N70-1	8.25	*936-40	4.25	*416-19	2.35	240a bklt	10.00	2007	*480-94	82.00	*52	12.00			*505	75		
**NC31-2 f	10.50	*951-5	5.20	*425-28	3.60	*247-9	3.40	2009	*508-16,19-23	87.00	*53	12.00			*512-3	6.40		
**O1 f	1.90	*977-80	4.15	*437-40	5.10	*251a bklt	6.75				*54	18.00			*517	75		
**O51-59	8.50	*986-90	6.15	*446-49	2.20	251a bklt	5.25	FIJI							518-22	1.60		
*O51-59 f-vf	5.70	*1118,20-1	6.90	*450-3	6.20	*252-3	2.65	16 f-vf	180.00		*55	21.00			*522a	7.50		
**O80-90	16.75	*1215-17	2.50	*590-1	3.45	*252-5	9.75	55 ave-f	30		58 f	140.00			*525	55		
**O80-91	17.60	*1238-40	4.35	*680a,2a,4a,5	18.60	*254-5	4.95	*72	36.00		67	75			*527	25		
**O92-6	4.10	*1253-57	4.75	*733	9.75	*256-9	5.40	*138-9 blk	2.85		69 f	140.00			*529-32	1.55		
EQUATORIAL GUINEA				*749	9.75	*267a	6.75	*151	2.45		82 s/d	32.00			533-7	1.00		
**4-10	3.30	*1274-8	5.20	*766	10.50	*267a bklt	7.50	*181	8.25		95	1.50			*537a	20.65		
**Elizabeth Coronation,		*1303-6	8.40	*B1	2.25	267a bklt	5.00	*184 f	5.50		103	1.25			*544	70		
25 th Ann. 1978 set(8)	5.00	*1341-4	4.15	*1L1-8	10.20	*268-69	2.65	*184	6.60		*117 f block	1.50			*545	80		
SOUVENIR SHEETS:		*1397-9	1.75	*1L1-8(1L7 s/d)	8.85	*275a bklt	6.75	*293-96	3.00</									

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**B44-6.....	8.50		**206.....	1.50	35 f.....	3.20	98 s/d.....	.65	*242 s/d.....	.30	**122.....	20					
B44-47.....	7.85		**207-8.....	4.15	*36 s/d.....	120.00	98-9 f-vf.....	4.65	*242.5 f.....	1.55	*623.....	.25	**1222 blk (4).....	.75			
**B46.....	5.80		**210-11.....	4.15	36.....	10.00	98-9 f.....	3.70	*243-4 f.....	2.10	**630-2.....	11.15	**1227-9.....	.75			
*B48.....	.65		**214a bklt.....	7.30	36 f.....	8.00	98a s/d.....	.90	*244.....	2.40	**630-2.....	8.90	**1230-1.....	.60			
**B49-53.....	10.70		**215.....	.75	36 ave.....	6.00	*99.....	204.00	*244 f.....	1.60	*634-36.....	.85	**1236-9.....	1.20			
*B49-53.....	8.55		**216.....	1.50	36 s/d.....	3.00	*99 s/d.....	51.00	*244 s/d.....	.60	**649.....	3.00	**1237.....	.30			
B49.....	.65		**217.....	.90	36a f.....	9.60	99.....	2.50	246 s/d.....	90.00	649.....	1.65	**1243.....	.30			
**B54-57.....	4.95		**218-20.....	5.35	36a s/d.....	3.60	99 f.....	2.00	248.....	1.20	*650-54.....	12.60	**1243 blk (4).....	1.20			
B56.....	1.20		**222.....	2.25	37 f.....	300.00	99 ave.....	1.50	252.....	3.25	650-54.....	1.20	**1247.....	.30			
**B60-63.....	1.70		**222a.....	9.00	37 s/d.....	112.50	99 s/d.....	.75	252 f.....	2.60	*654.....	9.00	**1247 blk (4).....	1.20			
*B60-63.....	2.25		**222a bklt.....	18.00	*38 f.....	50.00	*100 f.....	29.00	252 s/d.....	1.00	*659-63.....	1.10	**1251-5.....	2.20			
**B65-68.....	1.00		**223.....	1.35	*38 thin.....	25.00	*100 ave-f ng.....	21.75	258-62.....	2.15	*668.....	.45	**1256.....	.30			
*B65-8.....	1.25		**224.....	1.15	*38 s/d.....	18.75	*100 ave.....	21.75	258-62 f-vf.....	1.90	**671-2.....	1.80	**1256 blk (4).....	1.20			
B65-7.....	1.15		**225 bklt.....	9.00	38 s/d.....	15.00	*100 paper.....	17.00	258-62 s/d.....	.65	*673.....	2.70	**1257-9.....	1.05			
B67 f-vf.....	.40		**230-32.....	7.25	38a s/d.....	23.25	*101 ave.....	63.00	*261 s/d.....	1.35	*673-4.....	5.10	**1260-2.....	1.15			
**B69.72.....	.85		**233e bklt.....	18.00	*41 minor toning.....	63.00	*101 s/d.....	31.50	*262 toning.....	13.50	*679.....	3.90	**1269.....	.25			
**B69-73.....	2.10		**249a bklt.....	12.40	*41 s/d.....	37.50	101 ave.....	.80	*262 rd cor.....	9.00	*694-99.....	1.05	**1269 blk (4).....	1.00			
*B69-73.....	1.80		**250a bklt.....	13.15	41 f.....	64.00	101 s/d.....	.40	262.....	1.40	**700-5.....	46.00	**1273-76.....	1.50			
*B69-73 ng.....	.60		**252-3.....	3.75	41 ave.....	48.00	102 f.....	14.00	294.....	7.50	*700-05.....	36.70	**1274.....	.40			
B69-73.....	3.65		**260.....	1.15	41a f.....	70.00	102 ave.....	10.50	294 s/d.....	2.25	700-5.....	6.15	**1275.....	.40			
**B74-5.7.....	1.35		**265a bklt.....	13.10	41a s/d.....	26.25	102 s/d.....	5.25	296-7.....	3.25	705.....	5.50	**1276.....	.40			
**B74-7.....	1.75		**266a bklt.....	18.00	42a s/d.....	13.50	104 f.....	.55	297.....	2.15	**711-5.....	19.65	**1281.....	.70			
*B74-7.....	1.00		**267.....	1.60	46 s/d.....	30.00	105 f.....	.55	297 f.....	1.70	*711-15.....	15.75	**1292 sht (50).....	11.25			
B74-7.....	1.50		**268.....	1.50	46a s/d.....	101.25	105 ave.....	.40	*300.....	21.75	715.....	.50	**1295.....	.40			
B74-7 f-vf.....	1.40		**269.....	1.30	47.....	50.00	106 f.....	1.00	*300.....	8.40	719-24.....	.90	**1295-7.....	1.15			
**B75-77.....	.85		**270-1.....	11.20	48.....	125.00	*112 ave.....	.90	*300 ng.....	4.20	726.....	1.50	**1296.....	.40			
B77 f-vf.....	.55		**275.....	2.25	48 f.....	100.00	113 f ng.....	.10	*300 s/d.....	2.10	**732.....	3.00	1325a.....	1.25			
**B80-1.....	1.15		**275 sht.....	81.00	*50 f ng.....	12.00	118 ave.....	2.80	300.....	1.00	*770.....	4.50	**1328.....	.75			
**B82-83.....	1.20		**277e bklt.....	14.65	*50 ave.....	12.00	*119 f.....	50.00	*300.300a.....	41.40	*771.....	3.95	**1359-62.....	3.75			
*B82-6.....	3.50		**278.....	2.10	*50 s/d.....	6.00	*121 s/d.....	2.25	*300a s/d.....	21.75	*771.....	3.15	**1360.....	1.00			
*B82-6(B82 thin).....	3.30		**279.....	3.40	50 f.....	4.60	*121-3.5 s/d-vf.....	50.00	*300a.....	33.00	*773.....	2.25	**1362.....	1.00			
*B87-90.....	1.70		**280.....	1.15	50 ave.....	3.45	*122 s/d.....	4.35	*300a ng.....	16.50	**801-4.....	11.70	**1394.....	1.00			
B91-93.....	6.15		**281.....	1.15	50,1.6 s/d.....	4.45	*122 f-vf no gum.....	8.70	300a.....	9.50	*801-4.....	9.35	**1425-8.....	3.10			
**B94.....	.70		**281a bklt.....	9.00	50-9 f.....	62.15	*123 ng.....	30.00	*301 dist gum.....	5.25	801-4.....	1.25	**1650.....	.40			
**B98-100.....	2.50		**281a 1/2 bklt.....	4.50	*51 ave.....	24.00	*123 s/d.....	15.00	*301 toning.....	5.25	*804.....	6.75	**1650 blk (4).....	1.60			
*B98-100.....	1.70		**284d bklt.....	13.50	*51 ave ng.....	24.00	*125.....	15.90	*301 thin.....	3.50	*804 toning.....	2.70	**1683.....	.65			
**B101-3.....	6.05		**290a bklt.....	12.00	51 f.....	5.40	*125 ppr on back.....	8.00	*302 trop stain.....	8.25	804.....	.90	**1723-7.....	2.65			
B106.....	1.75		**291-2.....	3.75	51 ave.....	4.05	*125 f.....	10.60	302.....	2.10	*805-6.....	3.95	**1775-6.....	1.75			
*B107-9.....	6.75		**292.....	2.15	51 str edge.....	2.05	*125 s/d.....	4.00	*304.....	12.00	*805-6.....	3.15	**1799.....	.70			
**B109 rd cor.....	1.20		**293.....	2.10	51 s/d.....	2.05	126.....	37.50	*304 f.....	8.00	*811-16.....	6.70	**1820a.....	2.65			
**B110.....	1.60		**294-5.....	3.60	*52 s/d.....	37.50	126 f.....	30.00	304.....	.90	*817.....	1.20	**1821.....	7.50			
**B110-3.....	6.70		**296 bklt.....	12.75	52 s/d.....	6.00	126 ave.....	22.50	*305.....	14.25	*821-4.....	2.80	**1849-52.....	2.50			
*B110-13.....	5.70		**298.....	1.90	*53 pr.....	180.00	126 s/d.....	11.25	*306.....	28.15	*837-9.....	14.40	**1853-6.....	3.25			
*,used B110-3.....	5.50		**300.....	1.90	*53 ave ng.....	45.00	126 perfin s/d.....	11.00	*306.....	10.50	*840-44.....	23.25	**1870-3.....	3.15			
**B117-9.....	8.45		**305.....	1.70	53.....	3.75	*127 f-vf.....	90.00	306.....	1.00	*865-8.....	2.80	**1884c.....	.75			
*B119.....	1.65		**310.....	1.45	53 f.....	3.00	*127 s/d.....	6.40	*308.....	28.15	*865-8.....	2.25	**1891.....	.70			
*B120-2.....	6.75		**316a bklt.....	18.00	53 ave.....	2.25	129 f-vf.....	1.25	*308.....	11.40	*873.....	.25	**1968.....	1.70			
*,used B120-22.....	6.15		**328.....	3.60	*53a f.....	60.00	129 f.....	1.15	308.....	1.35	*874-7.....	2.50	**1995-99.....	4.20			
**B123.....	1.15				53b s/d.....	39.00	*130 f-vf.....	42.50	*309-10.....	5.25	*878.....	.25	**2014.....	.75			
B123-25.....	3.00				*55 ave ng.....	79.50	*130 f ng.....	25.50	309-10.....	2.65	*879-82.....	3.00	**2036-37.....	1.90			
B126 blk(4).....	4.00		*9.....	1.80	*55 s/d.....	39.75	*130 s/d.....	12.75	310.....	1.65	*889-90.....	1.25	**2038-41.....	6.75			
**B126-8.....	6.40		*28.....	.90	56.....	2.25	130.....	2.50	*311-12.....	15.30	*896-903.....	1.20	**2045-7.....	2.00			
**B127.....	2.25		*29.....	.9032a	56 f.....	1.80	130 f.....	2.00	311-12.....	5.75	*907-9.....	22.50	**2103.....	.95			
B127.....	1.25				56 s/d.....	.70	131 thin.....	3.40	*312.....	24.40	*907-9.....	18.00	*2124.....	.75			
**B128.....	2.25		*36.....	1.35	56,9 f.....	4.20	133-7 ave.....	9.70	*312.....	9.60	*910-13.....	15.10	**2145a.....	2.25			
B128 blk(4).....	5.00		36.....	1.15	*58 ave ng.....	33.00	133-7 s/d-ave.....	4.95	*312 ng.....	4.80	*929-30.....	1.05	**2155-7.....	3.10			
*B135-37.....	5.15		37 f.....	.60	*58 s/d.....	16.50	*136 ng.....	30.00	312 s/d.....	1.45	*937.....	.35	**2175-6.....	1.95			
**B142-4.....	7.00		59.....	1.00	*59 f-vf.....	237.50	*136 ave.....	30.00	*313-14.....	10.20	*943-8.....	5.00	**2204a.....	8.25			
*B151-3.....	4.75		60.....	1.00	*59 ave.....	142.50	136.....	1.15	*313-14 s/d.....	2.55	*943-9.....	6.90	**2218-9.....	1.90			
**B152.....	2.00		61 ave.....	.60	59 pr on pc.....	6.00	136 f-vf.....	1.00	313-14.....	2.60	*943.5-7.9.....	3.75	**2227-30.....	4.65			
*B154-6.....	7.80		*73 f.....	1.00	59.....	3.00	136 f.....	.90	*314.....	7.80	*944-9.....	5.35	**2232.....	3.40			
**B160-2.....	5.10		E3 s/d.....	3.75	59 f.....	2.40	136 ave.....	.70	*314 ng.....	3.90	*949.....	1.50	**2254-55.....	2.05			
**B166-8.....	2.45		*P4 thin.....	.80	59 ave.....	1.80	*137.....	150.00	*314 f.....	5.20	968.....	.10	**2268-69.....	1.90			
**B176-8.....	2.70				59 s/d.....	.90	137 s/d.....	2.20	314.....	1.85	*970-1.....	.40	**2348 blk(20).....	26.00			
**B179-81.....	2.25				*60 ave-f.....	114.00	*138 s/d.....	1.20	*320 s/d.....	4.50	*987.....	.40	*2348.....	1.30			
**B185-7.....	2.05		*1 s/d.....	225.00	60-3 f.....	12.40	138-54 ave-f.....	12.00	320 f.....	1.60	*997-1001.....	3.05	**2348a.....	5.25			
**B194-96.....	2.20		*1a f ng.....	547.50	61 f.....	1.30	139-41 s/d-f.....	.55	320 s/d.....	.60	*1014-7.....	7.90	**2348a,c bklt.....	19.50			
**B197-99.....	2.85		3b f.....	54.00	61 ave.....	1.00	*139 f.....	1.60	*321.....	20.65	*1024.24B.....	.80	**2348f.....	13.00			
**B200-2.....	3.00		7 s/d.....	54.00	61 crease.....	.50	*139 ave.....	1.20	*321.....	7.50	1024-24B.....	.55	*2379-82.....	7.90			
**B224-6.....	2.50		7 thin.....	72.00	61 s/d.....	.50	*139 s/d.....	.60	321.....	2.00	*1024B.....	.60	**2395.....	9.00			
**B227-9.....	2.60		9 s/d.....	98.00	*62 ave-f.....	193.00	*140.1 s/d.....	21.40	321 f.....	1.60	*1039.....	.75	**2397a.....	2.65			
**B230-32.....	2.10		9b s/d.....	120.00	62.....	2.65	*141 f.....	30.00	*322.....	10.50	*1049.....	1.70	**2398-2401.....	4.90			
**B238-40.....	2.55		10a pr f.....	420.00	62 f.....	2.10	*141 ave.....	22.50	*322.....	4.20	*1049-51.....	6.75	**2419a.....	1.00			
**B241-43.....	2.60		14,14a,14b f-vf.....	23.70	62 s/d.....	.80	*141 f ng.....	22.50	*322 lt toning.....	2.10	*1050.....	1.65	*2444.....	7.50			
**B244.....	2.25		14c f.....	7.60	62a.....	238.00	*141 s/d.....	11.25	322.....	.90	*1054-5.....	4.25	**2450.....	3.75			
**B245-7.....	3.25		14c s/d.....	2.85	*63 ave-f ng.....	192.00	*142 s/d.....	26.25	*323.....	2.80	*1059-63.....	1.15	**2504.....	2.25			
**B248.....	2.25		*18 s/d.....	300.00	63 ave.....	3.45	*144 f ng.....	8.25	*324.....	3.00	*1073.....	.20	*2567-8.....	3.00			
*C1 thin.....	28.00		18.....	5.00	63 s/d.....	1.75	*144 ave.....	8.25	*324.....	1.35	*1074-5.....	.45	**2604 bklt (20).....	21.00			
**C3.....	15.00		18 f.....	4.00	*64 ave ng.....	37.50	*144 s/d.....	4.15	324.....	.65	*1076.....	.85	*2604a.....	10.50			
*C3.....	12.00		19 f.....	16.00	66 pr f red canc.....		*144-5 s/d.....	5.10	*325-6.....	4.05	1076.....	.45	*2628.....	.95			
*C3 thin.....	5.00		19 s														

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**B89A		6.75	*B312-17		9.65	J24 s/d		124.00				**935-36		3.20	*20		13.50
**B90-1		10.30	*B313		1.15	*J65 ave-f		52.50	18-30 s/d-f			**961-2		5.65	**21		18.00
*B90-1		4.80	**B320		.90	**J93-7		56.00	(s/d165.00)	275.00		**B13		1.50	*21		16.50
*B90		1.95	*B321-26		5.75	**J108,9,13,15		2.50				**C1		1.00	*24 imp		75.00
**B92		3.20	*B330-35		3.75	*N2 f ng		37.50	FRENCH MOROCCO			**C2		5.45	*28		210.00
*B92-6		11.35	**B337-38		2.70	*N11 thin		1300.00	*21 f		44.00	**C20		15.00	**29		16.50
*B93		7.20	*B337-38		2.15	*N14 s/d		67.50	**136b bklt		49.00	*C21		48.00	**54		7.50
*B93 s/d		2.40	**B337a		22.50	**Q223		14.25	*C42-5		10.65	*C23		6.00	**69		.90
*B94-5		1.80	*B341-46		8.15	**1 O 1		.60				*C24-7		51.00	**71		1.05
*B95		.90	*B347-48		3.15	**1 O 1		.45	FRENCH POLYNESIA			*C24		7.80	**74		1.90
**B97-100		20.25	**B350-55		8.85	**1 O 2-6		1.70	11 pr on pc		27.50	**C28		2.65	**75		1.30
*B97-100		8.40	**B356-57		3.10	*1 O 7-9		2.55	**191		9.75	**C29		8.65	**76		4.70
**B101-2		12.20	*B359-64		6.30	**1 O 10-1		.85	*191 s/d		1.95	*C29		6.90	**77-78		1.70
*B101-2		4.20	*B365-66		1.45	**1 O 14		.80	**195		4.15	**C30		3.60	**77-79		3.45
*B102		2.10	*B367-69		1.45	**1 O 40-4		3.75	**199-202		29.00	**C31		11.25	**80-1		1.45
*B104-7		7.35	*B371-73		1.70	**1 O 45-46		1.75	*203-4		16.00	*C31		9.00	**84-5		1.55
*B108-9		1.80	*B377-81		1.80	**2 O 6-8		1.15	**205		11.25	**C32		7.15	**87-8		2.65
**B112-3		7.35	**B387-90		1.15	**2 O 9-10		.60	**206		11.25	**C47a		120.00	**88		1.30
*B112-3		5.85	*B404-7		.75	*2 O 12		.90	**207		13.50	**C49		12.00	**92-3		2.10
B112-13		1.50	**B409-10		.50	**2 O 16,7,9		1.70	**274		7.15	**C62		12.75	**94		3.40
**B117-28		24.75	*B416		.20	*2 O 37-8		.120	*277		7.20	**C70		8.25	**95-96		.80
*B117-28		20.00	**B417-20		.75	**2 O39		.70	**284		.900	**C84		6.75	**97		.55
*B135-46		25.00	*B421-4		1.20	*2 O 39-40		1.40	**292-95		22.50	**C85		8.25	**98-100		1.80
*B135-41		14.70	**B423-4		.70	**2 O 45-6		2.10	**313-8		2.30	**C86		6.00	**101-2		1.20
*B143		2.10	**B426-31		1.80				**326		2.10	*C106		16.50	**103		1.00
*B144		2.10	*B426-31		1.45	FRANCE YVERT			**327-29		2.75	**C117-9		15.75	**104		3.00
*B145		2.10	**B628-33		4.50	CATALOG			**336a		10.15	**C120		8.25	**105-6		.75
*B146		2.10	**B662b bklt		9.75	*YV# 62 f		25.00	*352-54		4.75	**C121		16.90	**107-10		2.80
**B147-8		15.00	**B663b		9.00	*YV# 63-8		2.00	**355-57		3.00	**C128-9		8.10	**111		.60
*B147-8		12.00	**B663b bklt		9.75	*YV# 74,6,7		10.00	**361a		12.00	**C128-9 gtrr prs		16.20	**114-5		1.50
**B147a		16.90	**C5		30.00	*YV# 80a f		29.00	**367-69		2.15	**C134-6		16.30	**116-7		1.45
**B147a toning		8.00	C5 s/d		.60	*YV# 277a/279b ave		2.00	**373-75		2.25	**C149		5.25	**123-24		1.50
*B147a		13.50	*C5-6 ng		12.00	*YV# 360-1 ave-f		.80	**386-88		3.10	**C152		7.50	**130		1.00
*B147a ng		6.75	C5-6		3.10	**YV# 811 imp		8.00	**389		1.70	**C154-55		4.15	**131		1.00
**B152a		9.40	*C6		11.40	**YV# 1230,34A		10.00	**400-2		2.35	**C160		4.50	**132		1.90
*B152a		7.50	*C6 ng		5.70	YV# 1536B		3.00	**403		2.65	**C161		2.45	**136		1.00
*B153-57		36.00	C6		1.10	**YV# 1730-1 imp		40.00	**404-7		5.10	**C164		2.25	**137		1.70
**B157a		75.00	C14 s/d		48.75	**YV# 1739 imp		25.00	**414-16		2.65	**C165		4.50	**138		1.50
*B157a		60.00	*C23		.75	**YV# 1741 imp		30.00	**422-23B		4.70	**C166-7		6.75	**139		2.10
*B161-6		5.85	C23-7		19.45	**YV# 1742 imp		30.00	**424-26		4.45	*C166-7		5.40	**146-47		3.50
B161-66		4.90	*C24 thin		2.30	**YV# 1744-8 imp		40.00	**430-32		2.75	**C168		9.00	**155		1.30
**B167-72		8.55	*C26		33.00	**YV# 1750-1 imp		30.00	**436-37		2.10	**C172-76		11.25	**157		2.25
*B167-72		6.85	C26		2.40	**YV# 1754-5 imp		20.00	**447-48		1.60	*C172-76		9.00	**161		1.15
*B178		.90	C26 s/d		.75	**YV# 1761 imp		20.00	**538-39		6.00	**C177		6.00	**162		1.70
**B179-84		6.75	C27		12.00	**Yvt 1781		12.00	**545		4.50	**C179		6.00	**163		1.95
*B179-84		5.40	**C28		4.00	**Yvt 1784		9.00	**633		3.75	**C184		3.40	**164		2.25
*B185-89		1.80	*C29 ng		.70	**Yvt 1786		9.00	**646		18.00	**C186		4.15	**167		1.30
*B197-200		1.00	C29-32		12.50	YV# 1814,A		3.00	**653		1.70	**C192		4.90	**168		1.20
B207-12		5.65	*C30		5.40	YV#1815B		30.00	**771		2.40	**C196		2.10	**172		8.25
*B207-12		4.50	*C32		57.00	YV#**1816,B		4.00	**780		2.50	**C199		4.50	**225		1.20
*B233-36		1.75	C34-36		12.15	YV#**1816B		3.00	**794-5		3.00	**C200		1.90	**273a bklt		7.50
*B238-43		11.85	*C35 xf		21.00	**YV# 1880,2 imp		14.00	**798-801		8.65	**C201		2.25	**C3		30.00
*B244-47		5.30	*C35		12.60	**YV# 1914/21(4)		25.00	**833		6.60	**C201 gtrr pr		4.50	**C4		32.00
**B267-72		34.00	C35		1.50				**849		7.15	**C207		5.50	**C5		21.75
*B276-81		31.00	**C36		33.75	FRENCH COLONIES			**855		6.40	**C211		7.15	*C5		17.50
*B282-83		10.50	*C36		27.00	*5 s/d		4.255 f-vf	**870		8.25	**C215		2.10	*C6		66.00
B282-3		4.50	**C37		.85				**880-81		6.00	**C218		6.60	**C7		95.00
*B283		6.00	C40		1.00	22 ave		6.30	**883 s/s		5.25	**C220		3.60	**C10a		21.75
**B290		19.50	**C42		.60	**B7		4.00	**886		1.20	**O16-9,21-5,27-8		12.05	*C10a		17.50
*B291-92		12.30	**C46-47		6.60				**887		2.25	**C12			**C12		24.50
**B291a bklt		82.50	**C54		2.65	FRENCH EQUATORIAL			**888		1.50				*C12		19.50
**B293		2.80	**C62a		4.00	AFRICA			**889-90		3.00	FRENCH SOUTHERN &			**C15		14.25
*B294-99		67.00	J1 thin		48.00	*166-9,71-2		2.15	**893-96		7.15	ANTARCTIC TERRITORY			**C16		14.25
B299		5.50	J8 space filler		21.25	*166-71		2.85	**901-2		4.15	**8-10		7.50	**C16a		30.00
*B301		3.15	**J11		1.90	**185		1.20	**904-5		3.60	*8-10		6.00	*C16a		24.00
**B303-8		26.80	*J11 ave		.75	**195-8		2.50	**908		3.00	*12-4		6.65	**C35a		28.00
*B303-8		21.45	J21		87.50	*195-8		2.00	**909		1.50	**15		10.15	**C36		5.25
**B309-10		3.60	*J22 1 sht perf		120.00	**199		1.20	**910		1.50	*15 imp		20.00	**C40a		14.25
*B309-10		2.85	J22 f sh perf		11.50	**202		1.80	**922-4		6.60	**16-19		79.00	**C41-43		13.00
**B312-17		12.05	J23 thin		70.00				**931-4		7.15	**20		16.90	**C45a		18.00